




ROOF EQUIPMENT







FOR ENQUIRIES CALL: 01889 271 202

HIGHER STRENGTH

LIGHTER WEIGHT

LONGER LASTING

MODERN DESIGN

NO DRILLING INTO VEHICLE

EASY FITTING

NO MAINTENANCE

HIGH LEVEL OF CORROSION RESISTANCE

LIFE TIME TESTED TO EUROPEAN STANDARDS

and ALL EQUIPMENT HAS BEEN:

MILLBROOK TESTED - D0-2R 3500km Durability tested to an equivalent to 160,000km motoring or a typical ten year cycle life

CRASH TESTED - EC17 reverse acceleration sled test to 23.6kg

ROOF LOADING SYSTEMS

EASI-LOAD - *easy steps to load onto your roof*



SINGLE EASI-LOAD



DOUBLE EASI-LOAD



Ladders safely loaded/unloaded in seconds

Loading and unloading equipment from the roof of a panel van is risky business, certainly when combined with winter conditions and difficult means of access. The Easi-Load significantly reduces the risk of strain and injury caused by loading and unloading.

Easi-Load was developed in response to consumer demand for a safe, simple and inexpensive means of loading and securing ladders or other equipment onto the roof of commercial vehicles.

Consisting of a fixed outer and sliding inner galvanised mild steel carrier, the sliding carrier is unlocked by a special key, which also acts as a pull handle. Once the key is engaged and activated this releases the double locking mechanism and allows the carrier to slide out of the fixed frame, pivot and present itself in an upright position at the rear of the vehicle. Throughout this process the operator has full control at all times, standing safely behind the vehicle away from other traffic and avoiding pedestrians in the walkway.

SINGLE EASI-LOAD

Weight - 45kg
Capacity - 75kg
Length - 2800mm
Width - 500mm

DOUBLE EASI-LOAD

Weight - 53kg
Capacity - 75kg
Length - 2800mm
Width - 1000mm

LADDER CLAMP

Ladder clamps offer the operator the option to secure ladders - comes complete with padlock

APPROVED BY
MAJOR
FLEET CUSTOMERS



British Gas



Sky

ALUMINIUM ROOF BARS



High strength anodised extruded aluminium roof bars, lighter in weight to give you a greater roof payload. This product also keeps the 'new product look' for a lot longer compared to competitors.

We offer Vehicle Specific Roof Bar Sets of Double, Triple or Quadruple.

Roof Bars available in 1100mm, 1250mm, 1500mm, 1600mm and 1750mm Widths.

ALUMINIUM LADDER RACKS



ROPE KIT



LADDER CLAMP

For secure housing of ladders, provided by the Ski assembly which is completely adjustable in the width up to 520mm.

Stylish design for today's modern vans and manufactured in aluminium, for lighter weight and optimising payload on the roof.

Add-on Rope Kits and Ladder clamps offer the operator the option to secure ladders.

Ladder Racks are available in 1.87, 2, 2.5, 3 and 3.5 Metre Lengths.

LOAD STOPS



FRONT LOAD STOPS



SIDE LOAD STOPS



We offer Load Stops to help secure loads onto the roof bars which gives you an easy and cost effective solution. These are made from mild steel, zinc coated and powder coated black for extra durability.

Load Stops attach into the Roof Bar channels and are tightened into your chosen location. They are have four lashing holes, giving you extra security and flexibility.

Height: 149mm

REAR ROLLERS



Our Rear Rollers will provide you with guidance when pushing your load onto your van, this prevents potential vehicle damage. The Rear Roller Assembly is made from mild steel, zinc coated and powder coated black, ensuring you that have a high quality product.

Attaches in the Roof Bar channel as the Load Stops.

Length (of Roller): 1290mm
Diameter (of Roller): 40mm
Height (of Bracket): 149mm

PIPE TUBE CARRIERS - *available in 2 or 3 metres*



DUAL ALUMINIUM PIPE TUBE



Constructed from anodised aluminium, with separate internal plastic liners so that copper & plastic products can be stored without contamination or damage, will take approximately 60 lengths of 15mm diameter copper tube with a maximum load capacity of 35kg. The Dual Pipe Tube has an in-built lock and key system for extra security of your equipment.



Length: 2 or 3 Metre
Width (of tube): 165mm
Width (of each section): 74mm
Height: 105mm

ALUMINIUM PIPE TUBE



Standard Aluminium Pipe Tube models which will take up to approximately 40 lengths of 15mm diameter copper tube up to a maximum weight of 25kg.

Tubes are constructed from anodised aluminium and come complete with cast swivel end caps, suitable for using padlocks to secure contents such as pipes and trunking safely and securely in position.

Length: 2 or 3 Metre
Diameter: 4 inches

PLASTIC PIPE TUBE



Light weight Plastic Pipe Tube carrier, the tube is 110mm outside diameter and 2.5mm thick. These tubes are intended to store lightweight products such as plastic ducting and should not be loaded with more than 10kg.

Length: 2 or 3 Metre
Diameter: 4 inches

FOR ENQUIRIES CALL: 01889 271 202



EMAIL: sales@bri-stor.co.uk



TEL: 01889 271 202



FAX: 01889 271 178



ADDRESS: Church Lane, Hixon, Stafford, ST18 0PS

www.bri-stor.co.uk